



EN AW-5754 [AlMg3]

d	l ⁺¹	$\frac{k}{d}$	Nr.	
3,2	6,0	1,5 - 3,5	10.730.032.060	500
	8,0	3,0 - 5,5	10.730.032.080	500
	10,0	5,0 - 7,5	10.730.032.100	500
	12,0	7,0 - 9,0	10.730.032.120	500
	16,0	9,0 - 13,0	10.730.032.160	500

dk 9,5_{-0,3} **dm 1,9** **k 1,2**_{+0,5} $\approx 3,3$ mm $\leftarrow \rightarrow$ 580 N $\left\| \right\|$ 1000 N

4,0	6,0	1,0 - 3,5	10.750.040.060	500
	8,0	3,0 - 5,5	10.750.040.080	500
	10,0	5,0 - 7,0	10.750.040.100	500
	12,0	6,5 - 9,0	10.750.040.120	500
	16,0	8,5 - 12,5	10.750.040.160	500
	18,0	12,0 - 14,5	10.750.040.180	500
	20,0	14,0 - 16,0	10.750.040.200	500

dk 12,0_{-0,3} **dm 2,2** **k 1,5**_{+0,5} $\approx 4,1$ mm $\leftarrow \rightarrow$ 1250 N $\left\| \right\|$ 2000 N

4,8	8,0	2,0 - 5,0	10.770.048.080	500
	10,0	4,0 - 6,5	10.770.048.100	500
	12,0	6,0 - 8,0	10.770.048.120	500
	16,0	7,5 - 12,0	10.770.048.160	500
	18,0	11,5 - 13,5	10.770.048.180	500
	20,0	12,0 - 15,5	10.770.048.200	250
	25,0	15,0 - 20,5	10.770.048.250	250
	30,0	20,0 - 25,0	10.770.048.300	250

dk 16,0_{-0,3} **dm 2,7** **k 1,8**_{+0,5} $\approx 4,9$ mm $\leftarrow \rightarrow$ 1640 N $\left\| \right\|$ 2600 N

d	l ⁺¹	$\frac{k}{d}$	Nr.	
5,0	8,0	2,0 - 5,0	10.740.050.080	500
	10,0	4,0 - 6,5	10.740.050.100	500
	12,0	6,0 - 8,0	10.740.050.120	500
	14,0	7,5 - 10,0	10.740.050.140	500
	16,0	8,0 - 12,0	10.740.050.160	500
	18,0	11,5 - 13,5	10.740.050.180	500
	20,0	12,0 - 15,5	10.740.050.200	500
	25,0	15,0 - 20,5	10.740.050.250	500
	30,0	20,0 - 25,0	10.740.050.300	500

dk 11,0_{-0,3} **dm 2,7** **k 1,5** _{$\pm 0,5$} $\approx 5,1$ mm $\leftarrow \rightarrow$ 1820 N $\left\| \right\|$ 2800 N

5,0	8,0	2,5 - 5,0	10.760.050.080	500
	10,0	4,0 - 6,5	10.760.050.100	500
	12,0	6,0 - 8,0	10.760.050.120	500
	14,0	7,5 - 10,0	10.760.050.140	500
	16,0	8,0 - 12,0	10.760.050.160	500
	18,0	11,5 - 13,5	10.760.050.180	500
	20,0	12,0 - 15,5	10.760.050.200	500
	25,0	15,0 - 20,5	10.760.050.250	250
	30,0	20,0 - 25,0	10.760.050.300	250

dk 14,0_{-0,3} **dm 2,7** **k 1,5** _{$\pm 0,5$} $\approx 5,1$ mm $\leftarrow \rightarrow$ 1820 N $\left\| \right\|$ 2800 N

5,0	10,0	4,0 - 6,5	10.770.050.100	500
	16,0	8,0 - 12,0	10.770.050.160	500
	20,0	12,0 - 15,5	10.770.050.200	250
	25,0	15,0 - 20,5	10.770.050.250	250
	33,0	20,0 - 28,0	10.770.050.330	250

dk 16,0_{-0,3} **dm 2,7** **k 1,8**_{+0,5} $\approx 5,1$ mm $\leftarrow \rightarrow$ 1820 N $\left\| \right\|$ 2800 N

6,0	16,0	7,0 - 11,0	10.770.060.160	250
	20,0	11,0 - 15,0	10.770.060.200	250

dk 16,0_{-0,3} **dm 3,2** **k 1,8**_{+0,5} $\approx 6,1$ mm $\leftarrow \rightarrow$ 2660 N $\left\| \right\|$ 3500 N